


[PL] LOUIS AQUA MAX PANORAMA 20kW ZE ZBIORNIKIEM 30kg  
 [EN] LOUIS AQUA MAX PANORAMA 20kW WITH 30kg TANK


[EN] CROSS-SECTION A-A  
[PL] PRZEKRÓJ A-A



- 1  
[PL] CZUJNIK TEMPERATURY KOMINKA  
[EN] FIREPLACE TEMPERATURE SENSOR  
[GER] KAMINTEMPERATURSENSOR  
[FR] CAPTEUR DE TEMPÉRATURE DU FOYER
- 2  
[PL] CZUJNIK TEMP. WĘŻOWNICY SCHŁADZAJĄCEJ  
(1/2 cala gwint wewnętrzny)  
[EN] TEMP. SENSOR COOLING COIL (1/2 inch female thread)  
[GER] TEMPERATURSENSOR KÜHLSPULE (1/2 Zoll Innengewinde)  
[FR] CAPTEUR DE TEMP. BATTERIE DE REFROIDISSEMENT  
(filetage femelle 1/2 pouce)
- 3  
[PL] WĘŻOWNICA SCHŁADZAJĄCA (1/2 cal gwint zewnętrzny)  
[EN] COOLING COIL (1/2 inch male thread)  
[GER] KÜHLSPULE (1/2 Zoll Außengewinde)  
[FR] BATTERIE DE REFROIDISSEMENT (filetage mâle 1/2 pouce)
- 4  
[PL] KRÓĆCE ZASILAJĄCE (1 cal gwint wewnętrzny)  
[EN] SUPPLY PIPES (1 inch female thread)  
[GER] ZUFUHRSTÜCKE (1 Zoll Innengewinde)  
[FR] BEC D'ALIMENTATION (filetage femelle 1 pouce)
- 5  
[PL] KRÓĆCE POWROTNE (1 cal gwint wewnętrzny)  
[EN] RETURN PIPES (1 inch female thread)  
[GER] RÜCKLAUFROHRE (1 Zoll Innengewinde)  
[FR] TUYAUX DE RETOUR (filetage femelle 1 pouce)


[PL] LOUIS AQUA MAX PANORAMA 20kW ZE ZBIORNIKIEM 30kg  
[EN] LOUIS AQUA MAX PANORAMA 20kW WITH 30kg TANK





[PL] LOUIS AQUA MAX PANORAMA 20kW ZE ZBIORNIKIEM 45kg  
[EN] LOUIS AQUA MAX PANORAMA 20kW WITH 45kg TANK


[EN] CROSS-SECTION B-B  
[PL] PRZEKRÓJ B-B




- 1  
[PL] CZUJNIK TEMPERATURY KOMINKA  
[EN] FIREPLACE TEMPERATURE SENSOR  
[GER] KAMINTEMPERATURSENSOR  
[FR] CAPTEUR DE TEMPÉRATURE DU FOYER
- 2  
[PL] CZUJNIK TEMP. WĘŻOWNICY SCHŁADZAJĄCEJ  
(1/2 cala gwint wewnętrzny)  
[EN] TEMP. SENSOR COOLING COIL (1/2 inch female thread)  
[GER] TEMPERATURSENSOR KÜHLSPULE (1/2 Zoll Innengewinde)  
[FR] CAPTEUR DE TEMP. BATTERIE DE REFROIDISSEMENT  
(filetage femelle 1/2 pouce)
- 3  
[PL] WĘŻOWNICA SCHŁADZAJĄCA (1/2 cal gwint zewnętrzny)  
[EN] COOLING COIL (1/2 inch male thread)  
[GER] KÜHLSPULE (1/2 Zoll Außengewinde)  
[FR] BATTERIE DE REFROIDISSEMENT (filetage mâle 1/2 pouce)
- 4  
[PL] KRÓĆCE ZASILAJĄCE (1 cal gwint wewnętrzny)  
[EN] SUPPLY PIPES (1 inch female thread)  
[GER] ZUFUHRSTÜCKE (1 Zoll Innengewinde)  
[FR] BEC D'ALIMENTATION (filetage femelle 1 pouce)
- 5  
[PL] KRÓĆCE POWROTNE (1 cal gwint wewnętrzny)  
[EN] RETURN PIPES (1 inch female thread)  
[GER] RÜCKLAUFROHRE (1 Zoll Innengewinde)  
[FR] TUYAUX DE RETOUR (filetage femelle 1 pouce)

[PL] LOUIS AQUA MAX PANORAMA 20kW ZE ZBIORNIKIEM 45kg  
[EN] LOUIS AQUA MAX PANORAMA 20kW WITH 45kg TANK

TANK 30kg



TANK 45kg



[PL] LOUIS AQUA MAX PANORAMA 20kW ZE ZBIORNIKIEM 30kg i 45kg  
[EN] LOUIS AQUA MAX PANORAMA 20kW WITH 30kg & 45kg TANK

 **IWONA  
PELLETS**